



ANDHRA PRADESH POLLUTION CONTROL BOARD

PARYAVARANA BHAVAN, A – 3, INDUSTRIAL ESTATE,
SANATHNAGAR, HYDERABAD – 500 018

Tender Notice No. 87/APPCB/MIS/AAQM/2010

Date: 02.11.2016.

Corrigendum to Invitation for Bids for Supply, Commission & Maintenance of the Software for Real Time Data Acquisition and Handling System for Ambient Air Monitoring, Effluent and Stack Monitoring for Andhra Pradesh Pollution Control Board dated 21 October, 2016

Ref: Tender Notice No. 87/APPCB/MIS/AAQM/2010, Dated: 21.10.2016

The last date for submission of bids for “Supply, Commission & Maintenance of the Software for Real Time Data Acquisition and Handling System for Ambient Air Monitoring, Effluent and Stack Monitoring” is **extended from 04.11.2016 to 10.11.2016 upto 15.00 Hrs.** All the other terms and conditions of the above advertisement and addendum will remain same.

S.No	Section in Tender Page No	Clause in Tender document	Revised Clause
1.	III.b.h of Page No.6	One software developer and one support engineer shall be deployed on regular basis for a period of one year on-site for technical support, and establish the connectivity and remote support to the monitoring stations.	One software developer and one support engineer shall be deployed on regular basis for a period of three years (from the date of installation of the software) on-site for technical support, and establish the connectivity and remote support to the monitoring stations.
2.	IV.C.m of Page No.10-11	The data collection and acquisition software should be able to collect and encrypt the data locally on the industry site. The data should archive the data locally on the client machine for a minimum period of 1 year or user specified	The client machine may be read as “the data collection and transmission module i.e. data logger / IoT/Modem”
3.	IV.C.j of page No. 10 and IV.G.b of Page No.12	The data collection and transmission module should accept commands for calibration (auto and manual) and able to perform calibration of the analyser locally.	The word manual may be ignored.

Sd/-
MEMBER SECRETARY