



ANDHRA PRADESH POLLUTION CONTROL BOARD

ZONAL LABORATORY - VIJAYAWADA

Plot No.41, Sri Kanakadurga Officers Colony, Gurunanak Road,
Vijayawada-8.

T.VIDYASAGAR, M.Sc.,
SENIOR ENV. SCIENTIST

e.mail: zovjalab-ses1@appcb.gov.in
Tel No: 0866-2546218

ANALYSIS REPORT FORM - XI REPORT BY THE BOARD ANALYST (See Rule 26)

Report No: Y1801031 & 032

Date: 01.02.2018

I hereby certify that I, **T.Vidyasagar**, State Board Analyst duly appointed under Sub-Section (3) of Section 53 of the Water (Prevention and Control of Pollution) Act, 1974 received on the **01st day of January, 2017** from the Environmental Engineer, Regional Office, Eluru: I) ETP Inlet (031), II) ETP Outlet (032), of **M/s. Uni Lods Bio Sciences (P). Ltd., (Unit-II), Sesali (V), Kalla (M), West Godavari District**, were collected on 30.12.2017 for analysis. The Sample was in a condition fit for analysis as reported below.

I further certify that, I have analyzed the afore mentioned samples from 01-01-2018 to 09-01-2018 and declare the results of the analysis to be as follows:

Parameters	Test Method	Units	Values	
			031	032
pH	APHA (23 rd Edition) 4500 - H:B:2017	----	6.80	7.14
Total Suspended Solids	APHA (23 rd Edition) 2540 - D:2017	mg/L	320.0	240.0
Total Dissolved Solids	APHA (23 rd Edition) 2540 - C:2017	mg/L	4200.0	3640.0
Chemical Oxygen Demand	APHA (23 rd Edition) 5220 - B:2017	mg/L	492.0	364.0
Biochemical Oxygen Demand	APHA (23 rd Edition) 5210 - B:2017, IS 3025 (Part 44): 1993	mg/L	186.0	108.0

All results are expressed in mg/L except pH.

The condition of the seals, fastening and container on receipt was intact.

Signed this on **01.02.2018**

Address:
T.Vidyasagar
Senior Environmental Scientist
Zonal Laboratory, APPCB
Vijayawada.


STATE BOARD ANALYST



ANDHRA PRADESH POLLUTION CONTROL BOARD
ZONAL LABORATORY - VIJAYAWADA
Plot No.41, Sri Kanakadurga Officers Colony, Gurunanak Road,
Vijayawada-8.

T.VIDYASAGAR, M.Sc.,
SENIOR ENV. SCIENTIST

e.mail: zovjalab-ses1@ap PCB.gov.in
Tel No: 0866-2546218

ANALYSIS REPORT
FORM - XI
REPORT BY THE BOARD ANALYST
(See Rule 26)

Report No: **Y1801151 & 152**

Date: **01.02.2018**

I hereby certify that I, T.Vidyasagar, State Board Analyst duly appointed under Sub-Section (3) of Section 53 of the Water (Prevention and Control of Pollution) Act, 1974 received on the 12th day of January, 2017 from the Environmental Engineer, Regional Office, Eluru. I) ETP Inlet (151), II) ETP Outlet (152), of M/s. Jayalakshmi Sea Foods Ltd., Main Road, Seesali (V), Kalla (M), West Godavari District, were collected on 11.01.2018 for analysis. The Sample was in a condition fit for analysis as reported below.

I further certify that, I have analyzed the afore mentioned samples from 12-01-2018 to 22-01-2018 and declare the results of the analysis to be as follows:

Parameters	Test Method	Units	Values	
			151	152
pH	APHA (23 rd Edition) 4500 - H:B:2017.	---	7.06	6.59
Total Suspended Solids	APHA (23 rd Edition) 2540 - D:2017	mg/L	332.0	246.0
Total Dissolved Solids	APHA (23 rd Edition) 2540 - C:2017	mg/L	3680.0	2720.0
Chemical Oxygen Demand	APHA (23 rd Edition) 5220 - B:2017	mg/L	612.0	396.0
Biochemical Oxygen Demand	APHA (23 rd Edition) 5210 - B:2017, IS 3025 (Part 44): 1993	mg/L	214.0	108.0

All results are expressed in mg/L except pH.

The condition of the seals, fastening and container on receipt was intact.

Signed this on **01.02.2018**

Address:
T.Vidyasagar
Senior Environmental Scientist
Zonal Laboratory, APPCB
Vijayawada.


STATE BOARD ANALYST



ANDHRA PRADESH POLLUTION CONTROL BOARD
ZONAL LABORATORY - VIJAYAWADA
Plot No.41, Sri Kanakadurga Officers Colony, Gurunanak Road,
Vijayawada-8.

T.VIDYASAGAR, M.Sc.,
SENIOR ENV. SCIENTIST

e.mail: zovjalab-ses1@appcb.gov.in
Tel No: 0866-2546218

ANALYSIS REPORT
FORM - XI
REPORT BY THE BOARD ANALYST
(See Rule 26)

Report No: **Y1801010 & 011**

Date: **31.01.2018**

I hereby certify that I, **T.Vidyasagar**, State Board Analyst duly appointed under Sub-Section (3) of Section 53 of the Water (Prevention and Control of Pollution) Act, 1974 received on the **01st day of January, 2017** from the Environmental Engineer, Regional Office, Eluru. I) ETP Inlet (**010**), II) ETP Outlet discharging into drain (**011**), of **M/s. Ananda Foods, Dirusumarru (V), Bhimavaram (M), West Godavari District**, were collected on **30.12.2017** for analysis. The Sample was in a condition fit for analysis as reported below.

I further certify that, I have analyzed the afore mentioned samples from **01-01-2018 to 09-01-2018** and declare the results of the analysis to be as follows:

Parameters	Test Method	Units	Values	
			010	011
pH	APHA (23 rd Edition) 4500 - H+B:2017	----	7.26	7.38
Total Suspended Solids	APHA (23 rd Edition) 2540 - D:2017	mg/L	282.0	214.0
Total Dissolved Solids	APHA (23 rd Edition) 2540 - C:2017	mg/L	3496.0	4902.0
Chemical Oxygen Demand	APHA (23 rd Edition) 5220 - B:2017	mg/L	1979.0	987.0
Biochemical Oxygen Demand	APHA (23 rd Edition) 5210 - B:2017. IS 3025 (Part 44): 1993	mg/L	692.0	346.0

All results are expressed in mg/L except pH.

The condition of the seals, fastening and container on receipt was intact.

Signed this on **31.01.2018**

Address:
T.Vidyasagar
Senior Environmental Scientist
Zonal Laboratory, APPCB
Vijayawada.


STATE BOARD ANALYST



ANDHRA PRADESH POLLUTION CONTROL BOARD
ZONAL LABORATORY - VIJAYAWADA
Plot No.41, Sri Kanakadurga Officers Colony, Gurunanak Road,
Vijayawada-8.

T.VIDYASAGAR, M.Sc.,
SENIOR ENV. SCIENTIST

e.mail: zovjalab-ses1@appcb.gov.in
Tel No: 0866-2546218

ANALYSIS REPORT
FORM - XI
REPORT BY THE BOARD ANALYST
(See Rule 26)

Report No: **Y1801014 & 015**

Date: **31.01.2018**

I hereby certify that I, **T.Vidyasagar**, State Board Analyst duly appointed under Sub-Section (3) of Section 53 of the Water (Prevention and Control of Pollution) Act, 1974 received on the **01st day of January, 2017** from the Environmental Engineer, Regional Office, Eluru. I) ETP Inlet (**014**), II) ETP Outlet (**015**), of **M/s. R.K.R. Sea Foods, Ganapavaram Road, D.No. 10-136, Undi (V&M), West Godavari District**, were collected on 30.12.2017 for analysis. The Sample was in a condition fit for analysis as reported below.


I further certify that, I have analyzed the afore mentioned samples from 01-01-2018 to 09-01-2018 and declare the results of the analysis to be as follows:

Parameters	Test Method	Units	Values	
			014	015
pH	APHA (23 rd Edition) 4500 - H+B:2017	----	7.11	6.93
Total Suspended Solids	APHA (23 rd Edition) 2540 - D:2017	mg/L	218.0	184.0
Total Dissolved Solids	APHA (23 rd Edition) 2540 - C:2017	mg/L	27080.0	31246.0
Chemical Oxygen Demand	APHA (23 rd Edition) 5220 - B:2017	mg/L	3540.0	1087.0
Biochemical Oxygen Demand	APHA (23 rd Edition) 5210 - B:2017, IS 3025 (Part 44): 1993	mg/L	1340.0	380.0

All results are expressed in mg/L except pH.

The condition of the seals, fastening and container on receipt was intact.

Signed this on **31.01.2018**


STATE BOARD ANALYST

Address:
T.Vidyasagar
Senior Environmental Scientist
Zonal Laboratory, APPCB
Vijayawada.



ANDHRA PRADESH POLLUTION CONTROL BOARD
ZONAL LABORATORY - VIJAYAWADA
Plot No.41, Sri Kanakadurga Officers Colony, Gurunanak Road,
Vijayawada-8.

T.VIDYASAGAR, M.Sc.,
SENIOR ENV. SCIENTIST

e.mail: zovjalab-ses1@appcb.gov.in
Tel No: 0866-2546218

ANALYSIS REPORT
FORM - XI
REPORT BY THE BOARD ANALYST
(See Rule 26)

Report No: **Y1801001 to 004**

Date: **30.01.2018**

I hereby certify that I, **T.Vidyasagar**, State Board Analyst duly appointed under Sub-Section (3) of Section 53 of the Water (Prevention and Control of Pollution) Act, 1974 received on the **01st day of January, 2017** from the Environmental Engineer, Regional Office, Eluru. I) ETP Inlet (**001**), II) ETP Outlet (**002**), III) STP Inlet (**003**), IV) STP Outlet (**004**), of **M/s. Kader Exports (P) Ltd., Gollalakoderu (V), Palakoderu (M), West Godavari District**, were collected on 30.12.2017 for analysis. The Sample was in a condition fit for analysis as reported below.

I further certify that, I have analyzed the afore mentioned samples from 01-01-2018 to 09-01-2018 and declare the results of the analysis to be as follows:

Parameters	Test Method	Units	Values			
			001	002	003	004
pH	APHA (23 rd Edition) 4500 - H:B:2017	----	6.34	5.98	6.67	6.21
Total Suspended Solids	APHA (23 rd Edition) 2540 - D:2017	mg/L	272.0	128.0	530.0	18.0
Total Dissolved Solids	APHA (23 rd Edition) 2540 - C:2017	mg/L	3720.0	3225.0	580.0	538.0
Chemical Oxygen Demand	APHA (23 rd Edition) 5220 - B:2017	mg/L	1054.0	489.0	163.0	124.0
Biochemical Oxygen Demand	APHA (23 rd Edition) 5210 - B:2017, IS 3025 (Part 44): 1993	mg/L	368.0	150.0	56.0	34.0

All results are expressed in mg/L except pH

The condition of the seals, fastening and container on receipt was intact.

Signed this on **30.01.2018**.

Address:
T.Vidyasagar
Senior Environmental Scientist
Zonal Laboratory, APPCB
Vijayawada.


STATE BOARD ANALYST



ANDHRA PRADESH POLLUTION CONTROL BOARD
ZONAL LABORATORY - VIJAYAWADA
Plot No.41, Sri Kanakadurga Officers Colony, Gurunanak Road,
Vijayawada-8.

T.VIDYASAGAR, M.Sc.,
SENIOR ENV. SCIENTIST

e.mail: zovjalab-ses1@appcb.gov.in
Tel No: 0866-2546218

ANALYSIS REPORT
FORM - XI
REPORT BY THE BOARD ANALYST
(See Rule 26)

Report No: **Y1801006 & 007**

Date: **30.01.2018**

I hereby certify that I, **T.Vidyasagar**, State Board Analyst duly appointed under Sub-Section (3) of Section 53 of the Water (Prevention and Control of Pollution) Act, 1974 received on the **01st day of January, 2017** from the Environmental Engineer, Regional Office, Eluru. I) ETP Inlet (**006**), II) ETP Outlet (**007**), of **M/s. Vasista Marine Ltd., Mogallu (V), Palakoderu (M), West Godavari District**, were collected on 30.12.2017 for analysis. The Sample was in a condition fit for analysis as reported below.


I further certify that, I have analyzed the afore mentioned samples from 01-01-2018 to 09-01-2018 and declare the results of the analysis to be as follows:

Parameters	Test Method	Units	Values	
			006	007
pH	APHA (23 rd Edition) 4500 - H:B:2017	----	6.87	6.65
Total Suspended Solids	APHA (23 rd Edition) 2540 - D:2017	mg/L	320.0	218.0
Total Dissolved Solids	APHA (23 rd Edition) 2540 - C:2017	mg/L	4608.0	3340.0
Chemical Oxygen Demand	APHA (23 rd Edition) 5220 - B:2017	mg/L	736.0	659.0
Biochemical Oxygen Demand	APHA (23 rd Edition) 5210 - B:2017, IS 3025 (Part 44): 1993	mg/L	258.0	190.0

All results are expressed in mg/L except pH.

The condition of the seals, fastening and container on receipt was intact.

Signed this on **30.01.2018**


STATE BOARD ANALYST

Address:
T.Vidyasagar
Senior Environmental Scientist
Zonal Laboratory, APPCB
Vijayawada.

**ANDHRA PRADESH POLLUTION CONTROL BOARD**

ZONAL LABORATORY - VIJAYAWADA

Plot No.41, Sri Kanakadurga Officers Colony, Gurunanak Road,
Vijayawada-8.T.VIDYASAGAR, M.Sc.,
SENIOR ENV. SCIENTISTe-mail: zovjalab-ses1@appcb.gov.in
Tel.No: 0866-2546218**ANALYSIS REPORT
FORM - XI
REPORT BY THE BOARD ANALYST
(See Rule 26)**

Report No: Y1801035 & 036

Date: 01.02.2018

I hereby certify that I, T.Vidyasagar, State Board Analyst duly appointed under Sub-Section (3) of Section 53 of the Water (Prevention and Control of Pollution) Act, 1974 received on the 01st day of January, 2017 from the Environmental Engineer, Regional Office, Eluru. I) ETP Inlet (035), II) ETP Outlet (036), of M/s. Surya Mitra Exim Pvt. Ltd., Main Road, Yenamaduru (V), Bhimavaram (M), West Godavari District, were collected on 30.12.2017 for analysis. The Sample was in a condition fit for analysis as reported below.

I further certify that, I have analyzed the afore mentioned samples from 01-01-2018 to 09-01-2018 and declare the results of the analysis to be as follows:


Parameters	Test Method	Units	Values	
			035	036
pH	APHA (23 rd Edition) 4500 - H:B:2017.	----	6.71	6.48
Total Suspended Solids	APHA (23 rd Edition) 2540 - D:2017	mg/L	340.0	260.0
Total Dissolved Solids	APHA (23 rd Edition) 2540 - C:2017	mg/L	3790.0	2650.0
Chemical Oxygen Demand	APHA (23 rd Edition) 5220 - B:2017	mg/L	488.0	364.0
Biochemical Oxygen Demand	APHA (23 rd Edition) 5210 - B:2017, IS 3025 (Part 44): 1993	mg/L	186.0	110.0

All results are expressed in mg/L except pH.

The condition of the seals, fastening and container on receipt was intact.

Signed this on 01.02.2018

Address:
T.Vidyasagar
Senior Environmental Scientist
Zonal Laboratory, APPCB
Vijayawada.


STATE BOARD ANALYST



ANDHRA PRADESH POLLUTION CONTROL BOARD
ZONAL LABORATORY - VIJAYAWADA
Plot No.41, Sri Kanakadurga Officers Colony, Gurunanak Road,
Vijayawada-8.

T.VIDYASAGAR, M.Sc.,
SENIOR ENV. SCIENTIST

e-mail: zovjalab-ses1@appcb.gov.in
Tel.No: 0866-2546218

ANALYSIS REPORT
FORM - XI
REPORT BY THE BOARD ANALYST
(See Rule 26)

Report No: Y1801029 & 030

Date: 01.02.2018

I hereby certify that I, T.Vidyasagar, State Board Analyst duly appointed under Sub-Section (3) of Section 53 of the Water (Prevention and Control of Pollution) Act, 1974 received on the **01st day of January, 2017** from the Environmental Engineer, Regional Office, Eluru. I) ETP Inlet (029), II) ETP Outlet (030), of M/s. Asvini Fisheries (P). Ltd., Dirusumarru Road, Yanamaduru (P), Bhimavaram (M), West Godavari District, were collected on 30.12.2017 for analysis. The Sample was in a condition fit for analysis as reported below.

I further certify that, I have analyzed the afore mentioned samples from 01-01-2018 to 09-01-2018 and declare the results of the analysis to be as follows:


Parameters	Test Method	Units	Values	
			029	030
pH	APHA (23 rd Edition) 4500 - H:B:2017	----	6.40	6.65
Total Suspended Solids	APHA (23 rd Edition) 2540 - D:2017	mg/L	210.0	280.0
Total Dissolved Solids	APHA (23 rd Edition) 2540 - C:2017	mg/L	5090.0	2900.0
Chemical Oxygen Demand	APHA (23 rd Edition) 5220 - B:2017	mg/L	516.0	384.0
Biochemical Oxygen Demand	APHA (23 rd Edition) 5210 - B:2017, IS 3025 (Part 44): 1993	mg/L	192.0	132.0

All results are expressed in mg/L except pH.

The condition of the seals, fastening and container on receipt was intact.

Signed this on **01.02.2018**

Address:
T.Vidyasagar
Senior Environmental Scientist
Zonal Laboratory, APPCB
Vijayawada.


STATE BOARD ANALYST

**ANDHRA PRADESH POLLUTION CONTROL BOARD**

ZONAL LABORATORY - VIJAYAWADA

Plot No.41, Sri Kanakadurga Officers Colony, Gurunanak Road,
Vijayawada-8.T.VIDYASAGAR, M.Sc.,
SENIOR ENV. SCIENTISTe.mail: zovjalab-ses1@appcb.gov.in
Tel No: 0866-2546218**ANALYSIS REPORT
FORM - XI
REPORT BY THE BOARD ANALYST
(Sec Rule 26)**Report No: **Y1801008 & 009**Date: **30.01.2018**

I hereby certify that I, **T.Vidyasagar**, State Board Analyst duly appointed under Sub-Section (3) of Section 53 of the Water (Prevention and Control of Pollution) Act, 1974 received on the **01st day of January, 2017** from the Environmental Engineer, Regional Office, Eluru. I) ETP Inlet (**008**), II) ETP Outlet discharging into drain (**009**), of **M/s. Ananda Aqua Exports (P) Ltd., Dirusumarru (V), Bhimavaram (M), West Godavari District**, were collected on 30.12.2017 for analysis. The Sample was in a condition fit for analysis as reported below.

I further certify that, I have analyzed the afore mentioned samples from 01-01-2018 to 09-01-2018 and declare the results of the analysis to be as follows:

Parameters	Test Method	Units	Values	
			008	009
pH	APHA (23 rd Edition) 4500 - H:B:2017	----	7.52	6.82
Total Suspended Solids	APHA (23 rd Edition) 2540 - D:2017	mg/L	332.0	226.0
Total Dissolved Solids	APHA (23 rd Edition) 2540 - C:2017	mg/L	5142.0	2732.0
Chemical Oxygen Demand	APHA (23 rd Edition) 5220 - B:2017	mg/L	918.0	464.0
Biochemical Oxygen Demand	APHA (23 rd Edition) 5210 - B:2017, IS 3025 (Part 44): 1993	mg/L	320.0	140.0

All results are expressed in mg/L except pH.

The condition of the seals, fastening and container on receipt was intact.

Signed this on **30.01.2018**

Address:
T.Vidyasagar
Senior Environmental Scientist
Zonal Laboratory, APPCB
Vijayawada.


STATE BOARD ANALYST



ANDHRA PRADESH POLLUTION CONTROL BOARD

ZONAL LABORATORY - VIJAYAWADA

Plot No.41, Sri Kanakadurga Officers Colony, Gurunanak Road,
Vijayawada-8.

T.VIDYASAGAR, M.Sc.,
SENIOR ENV. SCIENTIST

e.mail: zovjalab-ses1@appcb.gov.in
Tel No: 0866-2546218

**ANALYSIS REPORT
FORM - XI
REPORT BY THE BOARD ANALYST
(See Rule 26)**

Report No: Y1712083

Date: 08.01.2018

I hereby certify that I, T.Vidyasagar, State Board Analyst duly appointed under Sub-Section (3) of Section 53 of the Water (Prevention and Control of Pollution) Act, 1974 received on the 14th day of December, 2017 from the Environmental Engineer, Regional Office, Eluru. I) Untreated (Raw) effluents (083), of M/s. R.D.R. Exports, Seesali (V), Kalla (M), West Godavari District, were collected on 13.12.2017 for analysis. The Sample was in a condition fit for analysis as reported below.

I further certify that, I have analyzed the afore mentioned samples from 14-12-2017 to 20-12-2017 and declare the results of the analysis to be as follows:

Parameters	Test Method	Units	Values
			083
pH	APHA (23 rd Edition) 4500 - H:B:2017	----	7.04
Total Suspended Solids	APHA (23 rd Edition) 2540 - D:2017	mg/L	264.0
Total Dissolved Solids	APHA (23 rd Edition) 2540 - C:2017	mg/L	2650.0
Chemical Oxygen Demand	APHA (23 rd Edition) 5220 - B:2017	mg/L	364.0
Biochemical Oxygen Demand	APHA (23 rd Edition) 5210 - B:2017, IS 3025 (Part 44): 1993	mg/L	142.0

All results are expressed in mg/L except pH.

The condition of the seals, fastening and container on receipt was intact.

Signed this on 08.01.2018

T. Vidyasagar
08/01/2018
STATE BOARD ANALYST

Address:
T.Vidyasagar
Senior Environmental Scientist
Zonal Laboratory, APPCB
Vijayawada.



ANDHRA PRADESH POLLUTION CONTROL BOARD
ZONAL LABORATORY - VIJAYAWADA
Plot No.41, Sri Kanakadurga Officers' Colony, Gurunanak Road, Vijayawada-8

T.VIDYASAGAR, M.Sc.,
SENIOR ENV. SCIENTIST

e.mail: zovjalab-ses1@appcb.gov.in
Tel No: 0866-2546218


TEST REPORT

Report No : 1801E016 **Date: 05.01.2018**
Sample code : Y1712070 & Y1712071
Name & Address of the Customer : Environmental Engineer, RO - Eluru.
Sample Reference : M/s. Devi Sea Foods Ltd.,
NH-5, Peravali (V),
Tanuku (M), West Godavari District.
Description of Sample : Y1712070 (Inlet of ETP)
Y1712071 (Outlet of ETP)
Sample Collected Date : 11.12.2017
Sample Received Date : 12.12.2017
Test Completion Date : 27.12.2017

S. No	Parameter (s) / Name of Test	Test Method	Units	Value	
				Y1712070	Y1712071
1	pH	APHA (23 rd Edition) 4500 - H:B:2017	----	7.10	7.83
2	Total Suspended Solids	APHA (23 rd Edition) 2540 - D:2017	mg/L	298.0	156.0
3	Total Dissolved Solids	APHA (23 rd Edition) 2540 - C:2017	mg/L	4096.0	2880.0
4	Chemical Oxygen Demand	APHA (23 rd Edition) 5220 - B:2017	mg/L	764.0	344.0
5	Biochemical Oxygen Demand	APHA (23 rd Edition) 5210 - B:2017, IS 3025 (Part 44): 1993	mg/L	260.0	118.0

Note:

- ❖ The contents of the report shall not be reproduced either in full or in part without prior written consent of the issuing authority.
- ❖ The results relate only to the items tested.


SENIOR ENVIRONMENTAL SCIENTIST



ANDHRA PRADESH POLLUTION CONTROL BOARD

ZONAL LABORATORY - VIJAYAWADA

Plot No.41, Sri Kanakadurga Officers Colony, Gurunanak Road,
Vijayawada-8.

T.VIDYASAGAR, M.Sc.,
SENIOR ENV. SCIENTIST

e.mail: zovjalab-ses1@appcb.gov.in
Tel No: 0866-2546218

**ANALYSIS REPORT
FORM - XI
REPORT BY THE BOARD ANALYST
(See Rule 26)**

Report No: **Y1712084 to 086**

Date: **05.01.2018**

I hereby certify that I, **T.Vidyasagar**, State Board Analyst duly appointed under Sub-Section (3) of Section 53 of the Water (Prevention and Control of Pollution) Act, 1974 received on the **14th day of December, 2017** from the Environmental Engineer, Regional Office, Eluru. I) ETP Inlet (**084**), II). ETP Outlet (**085**), III). Treated effluents used for Agriculture (**086**) of **M/s. Well come Fisheries Ltd., Vandram (V), Undi (M), West Godavari District**, were collected on **13.12.2017** for analysis. The Sample was in a condition fit for analysis as reported below.

I further certify that, I have analyzed the afore mentioned samples from **14-12-2017 to 20-12-2017** and declare the results of the analysis to be as follows:

Parameters	Test Method	Units	Values		
			084	085	086
pH	APHA (23 rd Edition) 4500 - H·B:2017	----	6.33	6.83	6.87
Total Suspended Solids	APHA (23 rd Edition) 2540 - D:2017	mg/L	182.0	156.0	120.0
Total Dissolved Solids	APHA (23 rd Edition) 2540 - C:2017	mg/L	1934.0	1356.0	2194.0
Chemical Oxygen Demand	APHA (23 rd Edition) 5220 - B:2017	mg/L	832.0	384.0	294.0
Biochemical Oxygen Demand	APHA (23 rd Edition) 5210 - B:2017, IS 3025 (Part 44): 1993	mg/L	290.0	130.0	82.0

All results are expressed in mg/L except pH.

The condition of the seals, fastening and container on receipt was intact.

Signed this on **05.01.2018**


STATE BOARD ANALYST

Address:
T.Vidyasagar
Senior Environmental Scientist
Zonal Laboratory, APPCB
Vijayawada.



ANDHRA PRADESH POLLUTION CONTROL BOARD
ZONAL LABORATORY - VIJAYAWADA
Plot No.41, Sri Kanakadurga Officers Colony, Gurunanak Road,
Vijayawada-8.

T.VIDYASAGAR, M.Sc.,
SENIOR ENV. SCIENTIST

e.mail: zovjalab-ses1@appcb.gov.in
Tel No: 0866-2546218

ANALYSIS REPORT
FORM - XI
REPORT BY THE BOARD ANALYST
(See Rule 26)

Report No: **Y1712087 & 088**

Date: **05.01.2018**

I hereby certify that I, **T.Vidyasagar**, State Board Analyst duly appointed under Sub-Section (3) of Section 53 of the Water (Prevention and Control of Pollution) Act, 1974 received on the **14th day of December, 2017** from the Environmental Engineer, Regional Office, Eluru. I) ETP Inlet (Raw effluents) (**087**), II). Untreated effluents discharging into Bondada drain (**088**), of M/s. **Sprint Exports (P) Ltd., R.S.No. 281/1C & 281/2B, Vandram (V), Undi (M), West Godavari District**, were collected on 13.12.2017 for analysis. The Sample was in a condition fit for analysis as reported below.

I further certify that, I have analyzed the afore mentioned samples from 14-12-2017 to 20-12-2017 and declare the results of the analysis to be as follows:

Parameters	Test Method	Units	Values	
			087	088
pH	APHA (23 rd Edition) 4500 - H:B:2017	----	7.00	6.54
Total Suspended Solids	APHA (23 rd Edition) 2540 - D:2017	mg/L	180.0	94.0
Total Dissolved Solids	APHA (23 rd Edition) 2540 - C:2017	mg/L	1648.0	1870.0
Chemical Oxygen Demand	APHA (23 rd Edition) 5220 - B:2017	mg/L	900.0	372.0
Biochemical Oxygen Demand	APHA (23 rd Edition) 5210 - B:2017, IS 3025 (Part 44): 1993	mg/L	316.0	114.0

All results are expressed in mg/L except pH.

The condition of the seals, fastening and container on receipt was intact.

Signed this on **05.01.2018**


STATE BOARD ANALYST

Address:
T.Vidyasagar
Senior Environmental Scientist
Zonal Laboratory, APPCB
Vijayawada.



ANDHRA PRADESH POLLUTION CONTROL BOARD

ZONAL LABORATORY - VIJAYAWADA

Plot No.41, Sri Kanakadurga Officers Colony, Gurunanak Road,
Vijayawada-8.

T.VIDYASAGAR, M.Sc.,
SENIOR ENV. SCIENTIST

e.mail: zovjalab-ses1@appcb.gov.in
Tel No: 0866-2546218

ANALYSIS REPORT FORM - XI REPORT BY THE BOARD ANALYST (See Rule 26)

Report No: Y1712089 & 090

Date: 05.01.2018


I hereby certify that I, T.Vidyasagar, State Board Analyst duly appointed under Sub-Section (3) of Section 53 of the Water (Prevention and Control of Pollution) Act, 1974 received on the 14th day of December, 2017 from the Environmental Engineer, Regional Office, Eluru. I) ETP Inlet (089), II) ETP Outlet (090), of M/s. Universal Cold Storage Ltd., Pedaamiram (V), Bhimavaram (M), West Godavari District, were collected on 13.12.2017 for analysis. The Sample was in a condition fit for analysis as reported below.

I further certify that, I have analyzed the afore mentioned samples from 14-12-2017 to 20-12-2017 and declare the results of the analysis to be as follows:

Parameters	Test Method	Units	Values	
			089	090
pH	APHA (23 rd Edition) 4500 - H:B:2017	----	6.98	6.80
Total Suspended Solids	APHA (23 rd Edition) 2540 - D:2017	mg/L	172.0	116.0
Total Dissolved Solids	APHA (23 rd Edition) 2540 - C:2017	mg/L	3690.0	1076.0
Chemical Oxygen Demand	APHA (23 rd Edition) 5220 - B:2017	mg/L	528.0	392.0
Biochemical Oxygen Demand	APHA (23 rd Edition) 5210 - B:2017, IS 3025 (Part 44): 1993	mg/L	180.0	118.0

All results are expressed in mg/L except pH.

The condition of the seals, fastening and container on receipt was intact.
Signed this on 05.01.2018.


STATE BOARD ANALYST

Address:
T.Vidyasagar
Senior Environmental Scientist
Zonal Laboratory, APPCB
Vijayawada.

