



## A.P.POLLUTION CONTROL BOARD REGIONAL OFFICE, ELURU

**S. VENKATESWARLU, B.Tech**  
ENVIRONMENTAL ENGINEER

D.No.22B-3-2,  
Kaanukolanivaari Street,  
Power pet Railway Station Road,  
Power pet, Eluru-534002  
Phone: 08812 - 249668  
E-mail: [roelr-ee1@appcb.gov.in](mailto:roelr-ee1@appcb.gov.in)

**By Regd. Post with Ack. Due**

### **NOTICE**

**Notice No. 1391/PCB/RO-ELR/2002-**

**Dt.24.02.2018**

Sub: APPCB – RO - ELR – M/s. Surya Mitra Exim Pvt. Ltd. (Unit – I & II), R.S.No. 130, Yenamadurru (V), Bhimavaram (M), West Godavari District – Hon'ble Supreme Court of India directions dated 22.02.2017 in Writ Petition No.375/2012 - Non compliance of Board directions & standards – **Show Cause Notice** - Issued – Reg.,

- Ref: 1. HO Order no. 120/APPCB/UH-I/TF/ELR/2017 dated 19.09.2017.  
2. ZO, VSP SCN no. 3231/APPCB/ZO-VSP/Tech/2013-747 dated 27.09.2017.  
3. CFO order No.3231/PPCB/ZO-VSP/ELR/CFO/W&A/2017-1151 dated 02.11.2017 valid upto 31.10.2027.  
4. Analysis report dated 01.02.2018 (enclosed).

\* \* \*

WHEREAS you are operating a unit in the name and style M/s. Surya Mitra Exim Pvt. Ltd. (Unit – I & II), R.S.No. 130, Yenamadurru (V), Bhimavaram (M), West Godavari District to manufacture Processed shrimps – 15 TPD, Processed prawns & fish – 22 TPD.

WHEREAS, the A.P. Pollution Control Board issued Consent for Operation to your industry with certain conditions to comply and with a validity period upto 31.10.2027.

WHEREAS, Board issued directions vide reference 1<sup>st</sup> cited to comply with Board standards and conditions.

WHEREAS, Board issued show cause notice vide reference 2<sup>nd</sup> cited for non-compliance.

WHEREAS, the parameters of analysis of samples collected on 30.12.2017 at ETP outlet are exceeding the Board standards and the values are mentioned below:

S.No.	Sample source	Parameter & value in mg/l			
		TSS	TDS	BOD	COD
1.	ETP outlet	<b>260</b>	<b>2650</b>	<b>110</b>	<b>364</b>
	Standards	200.0	2100	30.0	250.0

WHEREAS, as per the above observations, the industry is continuing violation of consent conditions and Board standards resulting in violation of Hon'ble Supreme Court directions in W.P.No.375 of 2012 also.

Therefore, you are hereby directed to submit your explanation within **7 days** from the date of receipt of this notice failing which action will be initiated for **closure** of your industry under the provisions of the Water (Prevention and Control of Pollution) Act, 1974 and amendments thereof without further notice in the interest of Public Health and Environment protection.

Acknowledge receipt of this notice.

**ENVIRONMENTAL ENGINEER**

To  
M/s. Surya Mitra Exim Pvt. Ltd. (Unit – I & II),  
R.S.No. 130, Yenamadurru (V), Bhimavaram (M),  
West Godavari District

Copy submitted to Joint Chief Environmental Engineer, Zonal Office, Visakhapatnam, for information and necessary action.