



## A.P.POLLUTION CONTROL BOARD REGIONAL OFFICE, ELURU

**S. VENKATESWARLU, B.Tech**  
ENVIRONMENTAL ENGINEER

D.No.22B-3-2,  
Kaanukolanivaari Street,  
Power pet Railway Station Road,  
Power pet, Eluru-534002  
Phone: 08812 - 249668  
E-mail: [roelr-ee1@appcb.gov.in](mailto:roelr-ee1@appcb.gov.in)

**By Regd. Post with Ack. Due**  
**NOTICE**

**Notice No. 1064/PCB/RO-ELR/2001-**

**Dt.24.02.2018**

Sub: APPCB – RO - ELR – M/s. Vasista Marine , Mogallu (V), Palakoderu (M), West Godavari District – Hon'ble Supreme Court of India directions dated 22.02.2017 in Writ Petition No.375/2012 - Non compliance of Board directions & standards – **Show Cause Notice** - Issued – Reg.,

Ref: 1. CFO Order No. 3024-ELR/APPCB/ZOVSP/CFO/2015-239 dated 12.05.2015 valid upto 31.03.2018.  
2. Analysis report dated 30.01.2018 (enclosed).  
\* \* \*

WHEREAS you are operating a unit in the name and style M/s. Vasista Marine, Mogallu (V), Palakoderu (M), West Godavari District to manufacture Processed shrimp – 10 TPD, Ice Blocks – 15 TPD .

WHEREAS, the A.P. Pollution Control Board issued Consent for Operation to your industry with certain conditions to comply and with a validity period upto 31.03.2018.

WHEREAS, the parameters of analysis of samples collected on 30.12.2017 at outlet of ETP discharging into drain are exceeding the Board standards and the values are mentioned below:

S.No.	Sample source	Parameter & value in mg/l	
		BOD	TSS
1.	ETP outlet	<b>190.0</b>	<b>218.0</b>
	Standards	30.0	200.0

WHEREAS, as per the above observations, the industry is continuing violation of consent conditions and Board standards resulting in violation of Hon'ble Supreme Court directions in W.P.No.375 of 2012 also.

Therefore, you are hereby directed to submit your explanation within **7 days** from the date of receipt of this notice failing which action will be initiated of **closure** of your industry under the provisions of the Water (Prevention and Control of Pollution) Act, 1974 and amendments thereof without further notice in the interest of Public Health and Environment protection.

Acknowledge receipt of this notice.

**ENVIRONMENTAL ENGINEER**

To

**M/s. Vasista Marine,  
Mogallu (V), Palakoderu (M),  
West Godavari District**

Copy submitted to Joint Chief Environmental Engineer, Zonal Office, Visakhapatnam, for information and necessary action.

**Signature valid**

Digitally signed by  
Surayapalem Venkateswarlu  
Date: 2018.02.24 15:47:56 IST  
Reason: Approved